

- patients with delayed union and non-union. *Eur Surg Res* 40:289–296
4. Blair P, Flaumenhaft R (2009) Basic biology and clinical correlates. *Blood Rev* 23:177–189
 5. Calori GM, Tagliabue L, Gala L, d'Imporzano M, Peretti G, Albisetti W (2008) Application of rhBMP-7 and platelet-rich plasma in the treatment of long bone non-unions: a prospective randomised clinical study on 120 patients. *Injury* 39:1391–1402
 6. Cenni E, Fotia C, Rustemi E et al (2011) Idiopathic and secondary osteonecrosis of the femoral head show different thrombophilic changes and normal or higher levels of platelet growth factors. *Acta orthopaedica* 82:42–49
 7. Dallari D, Savarino L, Stagni C et al (2007) Enhanced tibial osteotomy healing with use of bone grafts supplemented with platelet gel or platelet gel and bone marrow stromal cells. *J Bone Surg Am* 89:2413–2420
 8. Fukushima W, Fujioka M, Kubo T, Tamakoshi A, Nagai M, Hirota H (2010) Nationwide epidemiologic survey of idiopathic osteonecrosis of the femoral head. *Clin Orthop Relat Res* 468: 2715–2724
 9. Grant WP, Jerlin EA, Pietrzak WS, Tam HS (2005) The utilization of autologous growth factors for the facilitation of fusion in complex neuropathic fractures in the diabetic population. *Clin Podiatr Med Surg* 22:561–584
 10. Kito H, Kitakoji T, Tsuchiya H et al (2007) Distraction osteogenesis of the lower extremity in patients with achondroplasia/hypochondroplasia treated with transplantation of cultured expanded bone marrow cells and platelet rich plasma. *J Pediatr Orthop* 27:629–634
 11. Kito H, Kitakoji T, Tsuchiya H et al (2007) Transplantation of culture expanded bone marrow cells and platelet rich plasma in distraction osteogenesis of the long bones. *Bone* 40:522–528
 12. Kon E, Buda R, Filardo G et al (2010) Platelet-rich plasma: intra-articular knee injections produced favorable results on degenerative cartilage lesions. *Knee Surg Sports Traumatol Arthrosc* 18: 472–479
 13. Mariconda M, Cozzolino F, Cozzolino A, D'Agostino E, Bove A, Milano C (2008) Platelet gel supplementation in long bone nonunions treated by external fixation. *J Orthop Trauma* 22: 342–345
 14. Marker DR, Seyler TM, McGrath MS et al (2008) Treatment of early stage osteonecrosis of the femoral head. *J Bone Joint Surg (Am)* 90:175–187
 15. Mont MA, Marulanda GA, Jones LC et al (2006) Systematic analysis of classification systems for osteonecrosis of the femoral head. *J Bone Joint Sur (Am)* 88A:16–25
 16. Pedzisz P, Zgoda M, Kocon H, Benke G, Gorecki A (2010) Treatment of solitary bone cysts with allogenic bone graft and platelet-rich plasma. A preliminary report. *Acta orthop Belgica* 76:374–379
 17. Rosenwaser MP, Garino JP, Kiernan HA et al (1994) Long-term follow-up of thorough debridement and cancellous bone grafting of the femoral head for avascular necrosis. *Clin Orthop Relat Res* 306:17–27
 18. Sánchez M, Anitua E, Azofra J, Aguirre JJ, Andia I (2008) Intra-articular injection of an autologous preparation rich in growth factors for the treatment of knee OA: a retrospective cohort study. *Clin Exp Rheumatol* 26:910–913
 19. Sánchez M, Anitua E, Cugat R, Azofra J, Guadilla J, Seijas R, Andia I (2009) Nonunions treated with autologous preparation rich in growth factors. *J Orthop Trauma* 23:52–59
 20. Seijas R, Santana-Suarez SI, Garcia-Balletbo M, Cusco X, Ares O, Cugat R (2010) Delayed union of the clavicle treated with plasma rich in growth factors. *Acta Orthop Belgica* 76:689–693
 21. Steinberg ME, Hayken GD, Steinberg DR (1995) A quantitative system for staging avascular necrosis. *J Bone Joint Surg (Br)* 77:34–41
 22. Wang BL, Sun W, Shi ZC et al (2010) Treatment of nontraumatic osteonecrosis of the femoral head using bone impaction grafting through a femoral neck window. *Int Orthop* 34:635–639